


LOCATION MAP
NOT-TO-SCALE



INDEX MAP
SCALE: 1"= 1000'

SURVEYOR'S NOTES:

- MONUMENTS WERE FOUND OR SET AT EACH CORNER OF THE SURVEY BOUNDARY OF THE SUBDIVISION AS NOTED. MONUMENTS AND LOT MARKERS WILL BE SET WITH 1/2" IRON ROD WITH CAP MARKED "PAPE-DAWSON" OR MAG NAIL WITH DISK MARKED "PAPE-DAWSON" AFTER THE COMPLETION OF UTILITY INSTALLATION AND STREET CONSTRUCTION UNLESS NOTED OTHERWISE.
- COORDINATES SHOWN ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 (NA2011) EPOCH 2010.00 FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE DISPLAYED IN GRID VALUES DERIVED FROM THE NGS COOPERATIVE CORS NETWORK.
- DIMENSIONS SHOWN ARE SCALED TO SURFACE WITH A SURFACE ADJUSTMENT OF 1.00017 APPLIED.
- BEARINGS ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 NAD83 (NA2011) EPOCH 2010.00, FROM THE TEXAS COORDINATE SYSTEM ESTABLISHED FOR THE SOUTH CENTRAL ZONE.

KNOW ALL MEN BY THESE PRESENTS

I, THE UNDERSIGNED DAVID A. CASANOVA, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECTLY MADE UNDER MY SUPERVISION AND IN COMPLIANCE WITH CITY AND STATE SURVEY REGULATIONS AND LAWS AND MADE ON THE GROUND AND THAT THE CORNER MONUMENTS WERE PROPERLY PLACED UNDER MY SUPERVISION.

PRELIMINARY. THIS DOCUMENT SHALL NOT BE RECORDED FOR ANY PURPOSE AND SHALL NOT BE USED OR VIEWED OR RELIED UPON AS A FINAL SURVEY DOCUMENT.

DAVID A. CASANOVA
REGISTERED PROFESSIONAL LAND SURVEYOR #4251
PAPE-DAWSON ENGINEERS, INC.
2000 NW LOOP 410
SAN ANTONIO, TEXAS 78213

NBU NOTES:

- MAINTENANCE OF DEDICATED UTILITY EASEMENTS IS THE RESPONSIBILITY OF THE PROPERTY OWNER. ANY USE OF AN EASEMENT, OR ANY PORTION OF IT, INCLUDING LANDSCAPING OF DRAINAGE FEATURES, IS SUBJECT TO AND SHALL NOT CONFLICT WITH THE TERMS AND CONDITIONS IN THE EASEMENT. MUST NOT ENDANGER OR INTERFERE WITH THE RIGHTS GRANTED BY THE EASEMENT TO NEW BRAUNFELS UTILITIES, ITS SUCCESSORS AND ASSIGNS, AND SHALL BE SUBJECT TO APPLICABLE PERMIT REQUIREMENTS OF THE CITY OF NEW BRAUNFELS OR ANY OTHER GOVERNING BODY. THE PROPERTY OWNER MUST OBTAIN, IN ADVANCE, WRITTEN AGREEMENT WITH THE UTILITIES TO UTILIZE THE EASEMENT, OR ANY PART OF IT.
- UTILITIES WILL POSSESS A 5' WIDE SERVICE EASEMENT TO THE BUILDING STRUCTURE ALONG THE SERVICE LINE TO THE SERVICE ENTRANCE. THIS EASEMENT WILL VARY DEPENDING UPON LOCATION OF DWELLING AND SERVICE.
- UTILITIES SHALL HAVE ACCESS TO THE METER LOCATIONS FROM THE FRONT YARD AND METER LOCATIONS SHALL NOT BE LOCATED WITHIN A FENCED AREA.
- EACH LOT MUST HAVE ITS OWN WATER AND SEWER SERVICE AT THE OWNER/DEVELOPERS EXPENSE.
- DO NOT COMBINE ANY NEW UTILITY EASEMENTS (UE) WITH DRAINAGE EASEMENTS (DE) OR MAKE CHANGES IN GRADE WITHIN THE UTILITY EASEMENTS (UE) WITHOUT WRITTEN APPROVAL FROM NEW BRAUNFELS UTILITIES.
- NBU IS NOT RESPONSIBLE FOR LANDSCAPING OR IRRIGATION IN UE/LE.

FLOOD ZONE NOTE:

NO PORTION OF ANY LOT ON THIS PLAT IS WITHIN AN INDICATED SPECIAL FLOOD HAZARD ZONE ACCORDING TO THE FEMA FIRM MAP NO. 48091C0295F EFFECTIVE DATE 9/2/2009 AND THE FEMA FIRM MAP NO. 48091CD460F EFFECTIVE DATE 9/2/2009.

UTILITY PROVIDER NOTE:

THE PROPERTY WILL BE SERVED BY THE FOLLOWING:
NEW BRAUNFELS UTILITIES (WATER, SEWER, ELECTRIC)
CENTRIC (TELECOMMUNICATIONS, GAS)

DRAINAGE EASEMENT NOTES:

- DRAINAGE EASEMENTS SHALL "REMAIN FREE OF ALL OBSTRUCTIONS."
- MAINTENANCE OF DRAINAGE EASEMENT SHOWN OUTSIDE OF LOT LINES SHALL BE THE SOLE RESPONSIBILITY OF MAYFAIR.
- NO STRUCTURES, WALLS OR OTHER OBSTRUCTIONS OF ANY KIND SHALL BE PLACED WITHIN THE LIMITS OF DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING, FENCES, OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS SECTIONS OF THE DRAINAGE EASEMENTS OR DECREASES THE HYDRAULIC CAPACITY OF THE EASEMENT, AS APPROVED, SHALL BE ALLOWED WITHOUT THE APPROVAL OF THE CITY ENGINEER. THE CITY OF NEW BRAUNFELS AND COMAL COUNTY SHALL HAVE THE RIGHT OF INGRESS AND EGRESS OVER GRANTORS ADJACENT PROPERTY TO REMOVE ANY OBSTRUCTIONS PLACED WITHIN THE LIMITS OF SAID DRAINAGE EASEMENTS AND TO MAKE ANY MODIFICATIONS OR IMPROVEMENTS WITHIN SAID DRAINAGE EASEMENTS.

SIDEWALK NOTES:

- SIX (6) FOOT WIDE SIDEWALKS WILL BE CONSTRUCTED PER CITY STANDARDS AT THE TIME OF BUILDING PERMIT WITH ADJACENT DEVELOPMENTS ALONG FORD TRL.
- TWELVE (12) FOOT WIDE SIDEWALKS WILL BE CONSTRUCTED PER CITY STANDARDS AT THE TIME OF STREET CONSTRUCTION ALONG GUTHRIE TRL.

SUBDIVISION PLAT OF MAYFAIR-GUTHRIE TRL

BEING 11.848 ACRES OUT OF THE 778.313 ACRE TRACT RECORDED IN DOC. NO. 202106037786 OF THE OFFICIAL PUBLIC RECORDS OF COMAL COUNTY, TEXAS, OUT OF THE ANTONIO MARIA ESNAURIZAR SURVEY NO. 1, ABSTRACT 98, COMAL COUNTY, TEXAS.

PLAT NOTES:

- THIS SUBDIVISION IS NOT WITHIN THE EDWARDS AQUIFER JURISDICTIONAL ZONES.
- THIS SUBDIVISION IS WITHIN THE ETJ OF THE CITY OF NEW BRAUNFELS, TEXAS.
- FUTURE DEVELOPMENT IS SUBJECT TO CHAPTER 114 (STREETS, SIDEWALKS AND OTHER PUBLIC SPACES) OF THE NEW BRAUNFELS CODE OF ORDINANCES.
- THE ELEVATION OF THE LOWEST FLOOR OF A STRUCTURE SHALL BE AT LEAST 10" INCHES ABOVE THE FINISHED GRADE OF THE SURROUNDING GROUND, WHICH SHALL BE SLOPED IN A FASHION SO AS TO DIRECT STORMWATER AWAY FROM THE STRUCTURE. PROPERTIES ADJACENT TO STORMWATER CONVEYANCE STRUCTURES MUST HAVE A FLOOR SLAB ELEVATION OR BOTTOM OF FLOOR JOIST A MINIMUM OF ONE FOOT ABOVE THE 100-YEAR WATER FLOW ELEVATION IN THE STRUCTURE. DRIVEWAYS SERVING HOUSES ON THE DOWNHILL SIDE OF THE STREET SHALL HAVE A PROPERLY SIZED CROSS SWALE PREVENTING RUNOFF FROM ENTERING THE GARAGE AND SHALL PREVENT WATER FROM LEAVING THE STREET.
- THIS UNIT CONTAINS 0 BUILDABLE RESIDENTIAL LOTS.
- ANY DRIVEWAY CONSTRUCTION ON COUNTY ROADS WITHIN THE UNINCORPORATED AREAS OF COMAL COUNTY MUST BE PERMITTED BY THE COMAL COUNTY ROAD DEPARTMENT.

SCHOOL DISTRICT NOTE:

REFERENCED PROPERTY LIES WITHIN THE COMAL INDEPENDENT SCHOOL DISTRICT.



NEW BRAUNFELS | SAN ANTONIO | AUSTIN | HOUSTON | FORT WORTH | DALLAS
2000 NW LOOP 410 | SAN ANTONIO, TX 78213 | 210.375.9000
TBPE FIRM REGISTRATION #470 | TBPLS FIRM REGISTRATION #10028800

DATE OF PREPARATION: July 5, 2022

STATE OF TEXAS
COUNTY OF COMAL

I (WE), THE UNDERSIGNED OWNER(S) OF THE LAND SHOWN ON THIS PLAT, AND DESIGNATED HEREIN AS THE MAYFAIR-GUTHRIE TRL SUBDIVISION TO THE CITY OF NEW BRAUNFELS, COUNTY OF COMAL, TEXAS, AND WHOSE NAME IS SUBSCRIBED HERETO, DO HEREBY SUBDIVIDE SUCH PROPERTY AND DEDICATE TO THE USE OF THE PUBLIC ALL STREETS, ALLEYS, PARKS, DRAINS, EASEMENTS, AND PUBLIC PLACES THEREON SHOWN FOR THE PURPOSES AND CONSIDERATION THEREIN EXPRESSED.

OWNER/DEVELOPER: THAD RUTHERFORD
SOUTHSTAR AT MAYFAIR DEVELOPER, LLC
1118 VINTAGE WAY,
NEW BRAUNFELS, TX 78132

STATE OF TEXAS
COUNTY OF COMAL

THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE ME ON THIS _____ DAY
OF _____, 20____, BY _____.

NOTARY PUBLIC, STATE OF TEXAS
MY COMMISSION EXPIRES: _____

CERTIFICATE OF APPROVAL

APPROVED THIS THE _____ DAY OF _____, 20____, BY THE
PLANNING COMMISSION OF THE CITY OF NEW BRAUNFELS, TEXAS.

PLANNING COMMISSION CHAIRPERSON

APPROVED FOR ACCEPTANCE

DATE DIRECTOR OF PLANNING

DATE CITY ENGINEER


DATE NEW BRAUNFELS UTILITIES

STATE OF TEXAS
COUNTY OF COMAL


I, _____, DO HEREBY CERTIFY THAT THE FOREGOING
INSTRUMENT WAS FILED FOR RECORD IN THE MAP AND PLAT RECORDS,
DOC. # _____ OF COMAL COUNTY ON THE _____,
DAY OF _____, 20____ AT _____ M.
WITNESS MY HAND OFFICIAL SEAL, THIS THE
_____ DAY OF _____, 20____.

COUNTY CLERK, COMAL, COUNTY, TEXAS

BY: _____, DEPUTY





LOCATION MAP
NOT-TO-SCALE



INDEX MAP
SCALE: 1"= 1000'

SUBDIVISION PLAT OF MAYFAIR-GUTHRIE TRL


BEING 11.848 ACRES OUT OF THE 778.313 ACRE TRACT RECORDED IN DOC. NO. 202106037786 OF THE OFFICIAL PUBLIC RECORDS OF COMAL COUNTY, TEXAS, OUT OF THE ANTONIO MARIA ESNAURIZAR SURVEY NO. 1, ABSTRACT 98, COMAL COUNTY, TEXAS.



**PAPE-DAWSON
ENGINEERS**


NEW BRAUNFELS | SAN ANTONIO | AUSTIN | HOUSTON | FORT WORTH | DALLAS
2000 NW LOOP 410 | SAN ANTONIO, TX 78213 | 210.375.9000
TBPE FIRM REGISTRATION #470 | TBPLS FIRM REGISTRATION #10028800

DATE OF PREPARATION: July 5, 2022




PLAT NOTES APPLY TO EVERY PAGE
OF THIS MULTIPLE PAGE PLAT

SHEET 3 OF 4





LOCATION MAP
NOT-TO-SCALE



INDEX MAP
SCALE: 1"= 1000'

SUBDIVISION PLAT OF MAYFAIR-GUTHRIE TRL

BEING 11.848 ACRES OUT OF THE 778.313 ACRE TRACT RECORDED IN DOC. NO. 202106037786 OF THE OFFICIAL PUBLIC RECORDS OF COMAL COUNTY, TEXAS, OUT OF THE ANTONIO MARIA ESNAURIZAR SURVEY NO. 1, ABSTRACT 98, COMAL COUNTY, TEXAS.



**PAPE-DAWSON
ENGINEERS**

NEW BRAUNFELS | SAN ANTONIO | AUSTIN | HOUSTON | FORT WORTH | DALLAS
2000 NW LOOP 410 | SAN ANTONIO, TX 78213 | 210.375.9000
TBPE FIRM REGISTRATION #470 | TBPLS FIRM REGISTRATION #10028800

DATE OF PREPARATION: July 5, 2022

ANTONIO MARIA ESNAURIZAR
SURVEY NO. 1, ABSTRACT 98
COMAL COUNTY, TX

REMAINING PORTION OF
778.313 ACRES
SOUTHSTAR AT MAYFAIR, LLC,
(DOC NO 202106037786, OPR)

REMAINING PORTION OF
778.313 ACRES
SOUTHSTAR AT MAYFAIR, LLC,
(DOC NO 202106037786, OPR)

ANTONIO MARIA ESNAURIZAR
SURVEY NO. 1, ABSTRACT 98
COMAL COUNTY, TX

CURVE TABLE					
CURVE #	RADIUS	DELTA	CHORD BEARING	CHORD	LENGTH
C1	783.00'	14°48'23"	N31°08'14"E	201.78'	202.34'
C2	33.00'	40°52'19"	N31°7'53"E	23.04'	23.54'
C3	81.00'	26°52'39"	N38°01'15"W	37.65'	38.00'
C4	4955.00'	0°46'46"	N51°50'58"W	67.41'	67.41'
C5	5045.00'	0°43'26"	S51°52'38"E	63.73'	63.73'
C6	381.00'	18°45'22"	S60°53'36"E	124.17'	124.72'
C7	25.00'	17°17'47"	N78°33'03"E	7.52'	7.55'
C8	75.00'	32°33'05"	N53°37'36"E	42.04'	42.61'
C9	457.00'	10°08'54"	N42°25'31"E	80.84'	80.95'
C10	1226.00'	7°16'37"	N51°08'16"E	155.60'	155.71'
C11	1226.00'	33°07'47"	N75°00'38"E	699.07'	708.90'
C12	1149.00'	24°53'54"	N80°07'17"E	495.39'	499.31'
C13	1261.00'	14°38'48"	S74°59'44"W	321.47'	322.35'
C14	1251.00'	7°56'11"	S88°36'08"W	173.14'	173.28'
C15	1124.00'	41°26'37"	S70°46'58"W	795.41'	813.02'
C16	375.00'	37°23'12"	S31°22'03"W	240.38'	244.70'
C17	100.00'	57°46'41"	S41°33'48"W	96.62'	100.84'
C18	83.00'	44°42'12"	S48°06'03"W	63.13'	64.76'
C19	441.00'	12°47'28"	S32°08'41"W	98.25'	98.45'
C20	15.00'	90°00'00"	N83°32'25"E	21.21'	23.56'
C21	15.00'	90°00'00"	S6°27'35"E	21.21'	23.56'
C22	15.00'	90°00'00"	S83°32'25"W	21.21'	23.56'
C23	15.00'	90°00'00"	N6°27'35"W	21.21'	23.56'

LINE TABLE		
LINE #	BEARING	LENGTH
L1	N6°27'35"W	29.21'
L2	N51°27'35"W	4.34'
L3	N38°32'25"E	72.83'
L4	N83°32'25"E	21.21'
L5	N49°51'01"E	50.99'
L6	N17°08'17"W	42.56'
L7	N24°34'56"W	21.56'
L8	N51°27'35"W	57.38'
L9	N37°45'39"E	90.00'
L10	N87°11'57"E	21.00'
L11	N69°54'09"E	63.47'
L12	N5°36'40"E	17.88'
L13	N33°23'20"W	5.81'
L14	N56°36'40"E	56.00'
L15	S33°23'20"E	5.81'
L16	S72°23'20"E	17.88'

LINE TABLE		
LINE #	BEARING	LENGTH
L17	N43°34'14"E	18.02'
L18	N2°34'14"E	6.24'
L19	S87°47'10"E	56.00'
L20	S2°34'14"W	6.33'
L21	S38°25'46"E	18.11'
L22	N67°40'20"E	19.59'
L23	S22°19'40"E	112.00'
L24	S67°40'20"W	19.59'
L25	N85°22'45"W	51.73'
L26	S41°34'14"W	18.15'
L27	S1°20'14"W	6.33'
L28	N87°01'33"W	56.02'
L29	N1°33'05"E	5.76'
L30	N36°25'46"W	18.12'
L31	S70°27'09"W	96.52'
L32	S38°32'25"W	62.95'

LINE TABLE		
LINE #	BEARING	LENGTH
L33	S50°14'36"W	59.16'
L34	S6°27'35"E	21.21'
L35	S38°32'25"W	61.66'
L36	S83°32'25"W	21.21'
L37	S6°27'35"E	25.21'
L38	S40°08'59"E	50.99'
L39	S51°27'35"E	50.06'
L40	S51°27'35"E	50.00'
L41	S38°32'25"W	60.00'
L42	N51°27'35"W	50.00'
L43	S83°32'25"W	25.21'
L44	S6°27'35"E	21.21'
L45	S38°32'25"W	61.66'
L46	S83°32'25"W	21.21'
L47	N51°27'35"W	72.00'

PLAT NOTES APPLY TO EVERY PAGE
OF THIS MULTIPLE PAGE PLAT

CURVE AND LINE
DATA ON THIS SHEET

SHEET 4 OF 4