

#### 5.22-4 Exterior Building Materials.

**Exterior Finish Requirement.** At least 80 percent of the vertical walls of all buildings (excluding doors and windows) to which these standards apply, shall be finished in one or more primary materials. In every instance, the lower four feet of the vertical walls of all buildings must be finished in one or more of the primary materials.

##### (a) Primary Materials:

- (1) Brick, stone, cast stone, rock, marble, granite;
- (2) Glass block, tile;
- (3) Stucco or plaster;
- (4) Glass with less than 20 percent reflectance (however, only a maximum of 50 percent of a building may be constructed in glass);
- (5) Split-face concrete block, poured-in-place concrete, and tilt-wall concrete. Any use of concrete products shall have an integrated color and be textured or patterned. Tilt-wall concrete structures shall include reveals, punch-outs, or other similar surface characteristics to enhance the façade on at least ten percent of each façade.
- (6) Fiber cement, such as James Hardie brand products or equivalent.

(b) **Masonry.** In every instance, the lower four feet of the vertical walls of all buildings must be finished in one or more of the primary materials noted in subsection (a)(1) or (a)(5) above.

(c) **Secondary Materials.** The remaining 20 percent of the exterior finish is discretionary and may include, but is not limited to, Exterior Insulation and Finish System (EIFS), wood, metal (including stamped, embossed, or coated panels) or other non-reflective materials.

(d) Additions to existing structures with vertical walls made of wood, including shingles and siding, may utilize wood in an amount consistent with the percentage of wood on the original structure.

#### 5.22-5. *Consistent Façade Standard.*

- (a) All façades or sides of a building shall be designed with architectural style and building materials consistent with the front facade.
- (b) Side or rear facing facades, not on a public roadway, are not required to meet the articulation standards in Section 5.22-3.