- MONUMENTS WERE FOUND OR SET AT EACH CORNER OF THE SURVEY BOUNDARY OF THE SUBDIVISION. MONUMENTS AND LOT MARKERS WILL BE SET WITH 1/2" IRON PINS WITH PLASTIC CAP STAMPED "HMT" IMMEDIATELY AFTER COMPLETION OF UTILITY INSTALLATION AND STREET CONSTRUCTION UNLESS NOTED OTHERWISE.
- 4. THIS SUBDIVISION IS NOT WITHIN THE EDWARDS AQUIFER RECHARGE ZONE.
- 5. THIS SUBDIVISION IS WITHIN THE EXTRATERRITORIAL JURISDICTION OF THE CITY LIMITS OF THE CITY OF NEW BRAUNFELS, TEXAS.
- 6. THIS SUBDIVISION IS WITHIN THE COMAL INDEPENDENT SCHOOL DISTRICT.
- 7. NO PORTION OF THE SUBDIVISION IS LOCATED WITHIN ANY SPECIAL FLOOD HAZARD AREA (100 YR. FLOOD), AS DEFINED BY THE COMAL COUNTY, TEXAS, FLOOD INSURANCE RATE MAP NUMBER 48091C0460F, EFFECTIVE DATE SEPTEMBER 2, 2009 AS PREPARED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY.
- 8. NO STRUCTURES, WALLS OR OTHER OBSTRUCTIONS OF ANY KIND SHALL BE PLACED WITHIN THE LIMITS OF THE DRAINAGE EASEMENTS SHOWN ON THIS PLAT. NO LANDSCAPING, FENCES, OR OTHER TYPE OF MODIFICATIONS WHICH ALTER THE CROSS SECTIONS OF THE DRAINAGE EASEMENTS OR DECREASE THE HYDRAULIC CAPACITY OF THE EASEMENT, AS APPROVED, SHALL BE ALLOWED WITHOUT THE APPROVAL OF THE CITY ENGINEER. THE CITY OF NEW BRAUNFELS SHALL HAVE THE RIGHT OF INGRESS AND EGRESS OVER GRANTOR'S ADJACENT PROPERTY TO REMOVE ANY OBSTRUCTIONS PLACED WITHIN THE LIMITS OF SAID DRAINAGE EASEMENTS AND TO MAKE ANY MODIFICATIONS OR IMPROVEMENTS WITHIN SAID DRAINAGE
- 9. FUTURE DEVELOPMENT IS SUBJECT TO CHAPTER 114 (STREETS, SIDEWALKS AND OTHER PUBLIC SPACES) OF THE NEW BRAUNFELS CODE OF ORDINANCES.
- 10. SIX (6) FOOT WIDE SIDEWALKS WILL BE CONSTRUCTED PER CITY STANDARDS BY THE DEVELOPER AT THE TIME OF STREET CONSTRUCTION ALONG:
- 11. FOUR (4) FOOT WIDE SIDEWALKS WILL BE CONSTRUCTED PER CITY STANDARDS BY THE DEVELOPER AT THE TIME OF STREET CONSTRUCTION ALONG:

 A. HYACINTH LOT 904, BLOCK 6 AND LOT 905, BLOCK 12.
- 12. FOUR (4) FOOT WIDE SIDEWALKS WILL BE CONSTRUCTED PER CITY STANDARDS BY THE HOME BUILDER AT THE TIME OF BUILDING CONSTRUCTION ALONG: A. HYACINTH, BLUE VIOLET, WINDFLOWER, FIELD THISTLE, AND FOX SEDGE.
- 13. THE ELEVATION OF THE LOWEST FLOOR OF A STRUCTURE SHALL BE AT LEAST 10 INCHES ABOVE THE FINISHED GRADE OF THE SURROUNDING GROUND, WHICH SHALL BE SLOPED IN A FASHION SO AS TO DIRECT STORMWATER AWAY FROM THE STRUCTURE. PROPERTIES ADJACENT TO STORMWATER CONVEYANCE STRUCTURES MUST HAVE A FLOOR SLAB ELEVATION OR BOTTOM OF FLOOR JOISTS A MINIMUM OF ONE FOOT ABOVE THE 100—YEAR WATER FLOW ELEVATION IN THE STRUCTURE. DRIVEWAYS SERVING HOUSES ON THE DOWNHILL SIDE OF THE STREET SHALL HAVE A PROPERLY SIZED CROSS SWALE PREVENTING RUNOFF FROM ENTERING THE GARAGE AND SHALL PREVENT WATER FROM LEAVING THE STREET.
- 14. THIS SUBDIVISION IS SUBJECT TO THE 2006 CITY OF NEW BRAUNFELS PARK LAND DEDICATION AND DEVELOPMENT ORDINANCE. THIS PLAT IS APPROVED FOR ONE DWELLING UNIT(S) PER BUILDABLE LOT WITH A MAXIMUM OF 113 BUILDABLE LOTS. AT SUCH TIME THAT ADDITIONAL DWELLING UNITS ARE CONSTRUCTED, THE OWNER OF THE LOT(S) SHALL NOTIFY THE CITY AND COMPLY WITH THE ORDINANCE FOR EACH DWELLING UNIT.
- 15. THIS UNIT CONTAINS 113 BUILDABLE RESIDENTIAL LOTS.
- 16. ALL DRAINAGE EASEMENTS WITHIN THE LOTS WILL BE OWNED AND MAINTAINED BY PROPERTY
- 17. PERMANENT WATER QUALITY CONTROLS ARE REQUIRED FOR THIS SUBDIVISION PLAT IN ACCORDANCE WITH THE CITY OF NEW BRAUNFELS DRAINAGE AND EROSION CONTROL DESIGN
- 18. A PORTION OF THIS SUBDIVISION IS IN THE AIRPORT OVERLAY DISTRICT APPROACH ZONE 2 AND APPROACH ZONE 3. THIS SUBDIVISION IS SUBJECT TO AIRPORT HAZARD ZONING DISTRICT STANDARDS AND REGULATIONS.
- 19. LOT 904, BLOCK 6 (DRAINAGE) AND LOT 905, BLOCK 12 (DRAINAGE) WILL BE OWNED AND MAINTAINED BY THE SUBDIVISIÓN PROPERTY ÓWNER, ITS SUCCESSORS AND/OR ASSIGNS.

NEW BRAUNFELS UTILITIES NOTES:

- MAINTENANCE OF DEDICATED UTILITY EASEMENTS IS THE RESPONSIBILITY OF THE PROPERTY OWNER. ANY USE OF AN EASEMENT, OR ANY PORTION OF IT, INCLUDING LANDSCAPING OR DRAINAGE FEATURES, IS SUBJECT TO AND SHALL NOT CONFLICT WITH THE TERMS AND CONDITIONS IN THE EASEMENT, MUST NOT ENDANGER OR INTERFERE WITH THE RIGHTS GRANTED BY THE EASEMENT TO NEW BRAUNFELS UTILITIES, ITS SUCCESSORS AND ASSIGNS, AND SHALL BE SUBJECT TO APPLICABLE PERMIT REQUIREMENTS OF THE CITY OF NEW BRAUNFELS OR ANY OTHER GOVERNING BODY. THE PROPERTY OWNER MUST OBTAIN, IN ADVANCE, WRITTEN AGREEMENT WITH THE UTILITIES TO UTILIZE THE EASEMENT, OR ANY PART
- 2. UTILITIES WILL POSSESS A 5' WIDE SERVICE EASEMENT TO THE DWELLING ALONG THE SERVICE LINE TO THE SERVICE ENTRANCE. THIS EASEMENT WILL VARY DEPENDING UPON LOCATION OF DWELLING AND SERVICE.
- 3. UTILITIES SHALL HAVE ACCESS TO THE METER LOCATIONS FROM THE FRONT YARD AND METER LOCATIONS SHALL NOT BE LOCATED WITHIN A FENCED AREA.
- 4. EACH LOT MUST HAVE ITS OWN WATER AND SEWER SERVICE AT THE OWNER'S/DEVELOPER'S
- 5. DO NOT COMBINE ANY NEW UTILITY EASEMENTS (U.E.) WITH DRAINAGE EASEMENTS (D.E.) OR MAKE CHANGES IN GRADE WITHIN THE UTILITY EASEMENTS (U.E.) WITHOUT WRITTEN APPROVAL FROM NEW BRAUNFELS UTILITIES.

KNOW ALL MEN BY THESE PRESENTS:

, THE UNDERSIGNED DOROTHY J. TAYLOR, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECTLY MADE UNDER MY SUPERVISION AND IN COMPLIANCE WITH CITY AND STATE SURVEY REGULATIONS AND LAWS AND MADE ON THE GROUND AND THAT THE CORNER MONUMENTS WERE PROPERLY PLACED UNDER MY SUPERVISION.

PRELIMINARY, THIS DOCUMENT SHALL NOT BE RECORDED FOR ANY PURPOSE.

DOROTHY J. TAYLOR

REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6295 290 S. CASTELL AVE., SUITE 100, NEW BRAUNFELS, TEXAS 78130


PLAT REVISED JULY 23, 2019 PLAT PREPARED JUNE 24TH, 2018




290 S. CASTELL AVE., STE. 100 NEW BRAUNFELS, TX 78130 TBPE FIRM F-10961

PRELIMINARY PLAT OF HEATHERFIELD UNIT 4

BEING A 26.51 ACRE TRACT SITUATED IN THE ANTONIO M. ESNAURIZAR SURVEY, ABSTRACT NO. 20, COMAL COUNTY, TEXAS. BEING A PORTION OF A CALLED 76.620 ACRE TRACT, RECORDED IN DOCUMENT NO. 201806029957, OFFICIAL PUBLIC RECORDS, COMAL COUNTY, TEXAS.






STATE OF TEXAS COUNTY OF COMAL

I (WE) THE UNDERSIGNED OWNER(S) OF THE LAND SHOWN ON THIS PLAT, AND DESIGNATED HEREIN AS THE HEATHERFIELD, UNIT 4 A SUBDIVISION TO THE CITY OF NEW BRAUNFELS, COUNTY OF COMAL, IL. S, AND WHOSE NAME IS SUBSCRIBED HERETO, DO HEREBY SUBDIVICE SUCH PROPERTY AND DEDICATE TO THE USE OF THE PUBLIC ALL TRF TS, ALLEYS, PARKS, DRAINS, EASEMENTS, AND PUBLIC PLACES THEREO, SHOWN FOR THE PURPOSES AND CONSIDERATION THEREIN EXPLOSEL

HDC NB, LLC BY: SCOTT TEETER 45NE LOOP 410, SUITE 225
SAN ANTONIO, TEXAS 78216
STATE OF TEXAS COUNTY OF
THIS INSTRUMENT VAS ACKNOWLEDGED BEFORE ME ON THIS
D/((F, 20,
BY
NOTARY PUBLIC, STATE OF TEXAS
MY COMMISSION EXPIRES:



LOCATION MAP NOT TO SCALE

APPROVED THIS THE DAY OF BY THE PLANNING COMMISSION OF THE CITY OF BRAUNFELS, TEXAS.


APPROVED FOR ACCEPTANCE
DATE CLANNING DIRECTOR
DATE CITY ENGINEER .
DA F. NEW BRAUNFELS UTILITIES

CHAIRMAN

STATE OF TEXAS COUNTY OF COMAL
I, DO HEREBY CERTIFY THAT THE FOREGOING
INSTRUMENT WAS FILED FOR RECORD IN THE MA AND PLAT RECORDS,
DOC# OF COMA" C(U'\) ON THE DAY
OF, 20, AT
M.
WITNESS MY HAND AND OFFICIAL SEAL, THIS THE DAY OF
COUNTY CLERK, COMA'. COL ITY TEXAS
DEPUTY .

PRELIMINARY PLAT OF HEATHERFIELD UNIT 4

BEING A 26.51 ACRE TRACT SITUATED IN THE ANTONIO M. ESNAURIZAR SURVEY, ABSTRACT NO. 20, COMAL COUNTY, TEXAS. BEING A PORTION OF A CALLED 76.620 ACRE TRACT, RECORDED IN DOCUMENT NO. 201806029957, OFFICIAL PUBLIC RECORDS, COMAL COUNTY, TEXAS.



<u>LEGEND:</u>

■ FND 1/2" IRON PIN W/
PLASTIC CAP STAMPED "HMT"
(UNLESS NOTED OTHERWISE)

O = SET 1/2" IRON PIN W/
PLASTIC CAP STAMPED "HMT"

U.E. = UTILITY EASEMENT

DRNG = DRAINAGE R.O.W. = RIGHT-OF-WAY

M.P.R.C.C.T. = MAP AND PLAT RECORDS, COMAL COUNTY, TEXAS O.P.R.C.C.T. = OFFICIAL PUBLIC RECORDS, COMAL COUNTY, TEXAS = AIRPORT APPROACH 2 ZONE

= AIRPORT APPROACH 3 ZONE

TERRITROY PASS SUBDIVISION UNIT 3 VOL. 11, PG. 229 M.P.R.C.C.T. LOT 22 LOT 23 LOT 24	TERRITROY PASS SUBDIVISIO VOL. 11, PG. 229, M.P.R. LOT 8	N UNIT 3		RITROY PASS SUBDIVISION UNIT 1 /OL. 11, PG. 182, M.P.R.C.C.T.	LOT 10 LO	LOT 3	LOT 2 LOT 1
	0 1L LOT 255 AC. 20.00' 50.00' 20.0	KROESCHE LN (R.O.W. VARIES) 252.41' S44"15'53"E 252.36'	Q	\$44*42*33*E 1058.29*	911 UTIL LOT 0.602 AC.		N: 13814354.67 E: 2272005.88 TEMPORARY DRAINAGE ESMT PER DOC. NO.
DRNG LOT 1.003 AC. 1.003 AC. N44'36'48"W 556.80' BLOCK 6 BLOCK 6	"W 247.45" "W 247.45" "W 246.99" "O 000 "E 246.99" "O 000 "O 000	51.75' 51.75' 51.75' 51.75'	51.75' 51.75' 51.75'	905 DRNG LOT 2.282 AC. N44'36'48"W 1310.39' 51.75' 51.75' 51.75' 5	1.75' 51.75' 51.75' 51.75'	/51.75' 51.75' 51.75' 51.75'	ACCESS & TURNAROUND ESMT PER DOC. NO. O.P.R.C.C.T. TO O.P.R.C.C.T. TO O.P.R.C.C.T. TO
0, 47, 47, 47, 47, 47, 47, 47, 47, 47, 47	S45. S45. NA5.	BLUE VIOLET	51.75' 51.75' 51.75' 51.75'	20' U.E. 51.75' 51.75' 51.75' 51.75'	348 (g) 349 (g) 350 (g) 351 (g) 352 (g		THE RECORATION OF FUTURE PLAT OF FUTURE PLAT
N44'43'29"W 438.12' BLUE LO (50' R.C	D.W.) 281 281 281 280 280 280 280	(50' R.O.W.) N44'43'29"W 210.00' 05.03' 15' U.E. 15' U.E. 15' U.E. 15' U.E. 15' U.E. 10' MARINE MAR	44'43'29"W 210.00' 105.03' 15' U.E. 308 S44'36'48"E 120.00' 309 120.00'	L2 45.03' 51.44' 50.75') L2 372 75 75 75 75 75 75 75 75 75 75 75 75 75		50.75' 50.75' 50.75'	TURNAROUND ESMT PER DOC. NO. O.P.R.C.C.T. TO BE ABANDONED UPON THE RECORATION OF FUTURE PLAT OC. 360 15 0 0 359 70 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	120.00' 120.00' 120.00' 120.00' 120.00'	84 305 120.00' 120.00' 188 88 88 88 88 88 88 88 88 88 88 88 88	310 % A C C C C C C C C C C C C C C C C C C	HDC NB, LLC ALLED 76.620 ACRES IC. NO. 201806029957 O.P.R.C.C.T.	50.75' 50.75' 50.75' 50.75' 50.75' N44'43'29"W	CALLED PULTE HOMES DOC. NO.	50.75' [60.00'] 13.190 ACRES OF TEXAS, L.P. & HDC NB, LLC 201806029959 O.P.R.C.C.T.
HDC NB, LLC CALLED 76.620 ACRES DOC. NO. 20180602995 O.P.R.C.C.T.	2.7 E 642.23 8.838'	88 8 303 120.00' 120.0	120.00' 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	U.P.R.C.C., I.		TEMPORARY I PER DOC. NO. O.P.R.C.C.T. TO BE ABAN THE RECORATION OF F	DONED UPON TUTURE PLAT TCHLINE "B" ~ SEE SHEET 3 OF 3

LINE TABLE							
	LINE TABLE						
LINE #	LENGTH	DIRECTION					
L1	105.03	N45°23'12"E					
L2	50.00'	N44°47'29"W					
L3	104.97	N44°43'29"W					
L4	50.00'	S45°27'13"W					
L5	24.97'	N44°43'29"W					
L6	10.24	S44°43'29"E					
L7	50.00'	N45°16'31"E					

CURVE TABLE							
CURVE	LENGTH	RADIUS	DELTA	TANGENT	CHORD LENGTH	CHORD BEARING	
C1	23.59'	15.00'	090°06'41"	15.03'	21.23'	N00°19'51"E	
C2	23.53'	15.00'	089°53'19"	14.97'	21.19'	S89°40'09"E	
С3	23.59'	15.00'	090°06'41"	15.03'	21.23'	S00°19'51"W	
C4	23.48'	15.00'	089°42'00"	14.92'	21.16'	S89°34'29"E	
C5	23.64	15.00'	090°18'00"	15.08'	21.27'	N00°25'31"E	
C6	23.53'	15.00'	089°53'19"	14.97'	21.19'	N89°40'09"W	
C7	23.53'	15.00'	089°53'19"	14.97'	21.19'	N89°40'09"W	
C8	23.59	15.00'	090°06'41"	15.03'	21.23'	S00°19'51"W	
C9	23.53	15.00'	089°53'19"	14.97'	21.19'	N89°40'09"W	
C10	23.59'	15.00'	090°06'41"	15.03'	21.23'	N00°19'51"E	
C11	23.53'	15.00'	089°53'21"	14.97'	21.19'	S89°40'09"E	
C12	23.59'	15.00'	090°06'41"	15.03'	21.23'	N00°19'51"E	
C13	23.53'	15.00'	089°53'19"	14.97'	21.19'	N89°40'09"W	
C14	23.59'	15.00'	090°06'41"	15.03'	21.23'	N00°19'51"E	
C15	23.53	15.00'	089°53'19"	14.97'	21.19'	S89°40'09"E	
C16	23.59'	15.00'	090°06'41"	15.03'	21.23'	S00°19'51"W	

290 S. CASTELL AVE., STE. 100 NEW BRAUNFELS, TX 78130 TBPE FIRM F-10961 ENGINEERING & SURVEYING | TBPLS FIRM 10153600

PLAT REVISED JULY 23, 2019 E: PLAT PREPARED JUNE 24TH, 2019

N: 13814700.38_/ 2

E: 2270084.39

REMAINDER OF CALLED 62.585 ACRES PULTE HOMES OF TEXAS, LP. DOC. NO. 201806029958 0.P.R,C.C.T.

N44°43'29"W 210.01 WINDFLOWER

(50' R.O.W.) N44°43'29"W 290.00'

289

290

291

120.00'

292

120.00

293

N44°36'48"W

120.00' 294

104.97

____15[']_U.<u>E.</u>

40.03

N44°43'29"W 564.88'

120.00′ 120.00′ 120.00′

/299

298

120.00'

297/

120.00'

296

N44*36'48"W

120.00' 295

105.04'

45.00' 45.00' 45.00' 45.00' 45.00' 45.00'

100416 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100

BLOCK 5

317/

/ 319

| N44°36'48"W/ 120.00' ,320

104.97

N44°43'29"W/

120.00'

274

273

272

120.00'

271

120.00'

270

N44°43'29"W

120.00' 269

105.03

N44°43′29″W 210.00′

N44*43'29"W 209.85' 45.00' 45.00' 45.00' 45.00' 40.09'

104.97

138 9 00140

PROPOSED USE: RESIDENTIAL LOW-DENSITY

LOT DENSITY: 4.26 LOTS/AC.

LOT DENSITY AIRPORT APPROACH 2 ZONE: 3.00 LOTS/AC. LOT DENSITY AIRPORT APPROACH 3 ZONE: 4.12 LOTS/AC.

